

### EUROPA REFERENCE BOOKS for Automotive Technology

Munich

Hückelhoven

Berghülen

Schorndorf - Stuttgart

Rastatt - Gaggenau

## **Automotive Technology Basic Worksheets**

Authors:

Fischer, Richard Studiendirektor Polling – Munich
Gscheidle, Tobias Dipl.-Gewerbelehrer, Studiendirektor Sindelfingen – Stuttgart
Heider, Uwe Kfz-Elektriker-Meister, Trainer Audi AG Neckarsulm – Oedheim

Hohmann, Berthold Oberstudiendirektor Eversberg

van Huet, Achim Dipl.-Ingenieur, Studiendirektor Oberhausen – Essen

Keil, Wolfgang Oberstudiendirektor

Lohuis, Rainer Dipl.-Ingenieur, Oberstudienrat
Mann, Jochen Dipl.-Gewerbelehrer, Studiendirektor
Schlögl, Bernd Dipl.-Gewerbelehrer, Studiendirektor

Wimmer, Alois Oberstudienrat

Head of working group and editorial office:

Rolf Gscheidle, Studiendirektor, Winnenden, Germany

Graphic design:

Design office of Verlag Europa-Lehrmittel, Ostfildern, Germany

All rights reserved. This book is protected by copyright. Any commercial use beyond the legally specified uses requires written approval from the publisher.

1st English edition 2015, corrected reprint 2020

Impression 5 4 3 2

All impressions of the same edition can be used in parallel, as they do not differ from each other except with regard to the correction of printing errors.

© 2015 by Verlag Europa-Lehrmittel, Nourney, Vollmer GmbH & Co. KG, 42781 Haan-Gruiten, Germany http://www.europa-lehrmittel.de

Typesetting: rkt, 51379 Leverkusen, Germany – www.rktypo.com Cover design: braunwerbeagentur, 42477 Radevormwald, Germany

Cover photo: BMW AG, Munich, Germany.

Printing: RCOM Print GmbH, 97222 Würzburg-Rimpar, Germany

**Europa-No.: 22486** VERLAG EUROPA-LEHRMITTEL · Nourney, Vollmer GmbH & Co. KG ISBN 978-3-8085-2248-6 Düsselberger Straße 23 · 42781 Haan-Gruiten, Germany

#### **Preface**

"Automotive Technology - Basic Worksheets" contains worksheets for the following subject areas:

#### Service, Repairs, Diagnosis, Conversions and Retrofits.

The worksheets are designed to form a foundation for operational situations.

- In each subject area, practical situations serve as an introduction to the topical contents. Comprehensive assignments provide the necessary basic technical knowledge. The learning situations found at the beginning of each topic can then be solved with this basic knowledge.
- Clearly outlined assignments can be solved independently in groups or with an instructor with the help of the "Modern Automotive Technology" textbook as well as the reference table.
- Circuit diagrams, maintenance schedules and work plans as well as functional descriptions are chosen such that they can be processed similarly to comparable job-related workflows.
- With the help of the accompanying ESI-Tronic CD, the student can obtain information and work on customised exercises.
- Content on operational organisation, operational communication and quality management can be found in the Service worksheets in the form of practical tasks.
- An example of a vehicle registration certificate, Part I, for registered vehicles in Europe, can be
  found on the inside back cover. Such documents are required to identify the vehicle during repair
  work and in locating spare parts in dealerships and auto parts stores.

The following tasks are given in the four subject areas:

#### 1 SERVICE

Maintaining and inspecting vehicles and systems according to specifications.

#### 2 REPAIRS

Checking, disassembling, exchanging and assembling simple components and systems.

#### 3 DIAGNOSIS

Identify and eliminate malfunctions

#### 4 Conversions and retrofits

Performing customer-driven conversions

The worksheets, along with other vehicle technology textbooks such as "Modern Automotive Technology", Verlag Europa-Lehrmittel (ISBN 978-3-8085-23025), form a complete unit.

They are intended to help in carrying out practice-orientated lessons.

The Authors Fall 2015

#### **Contents**

Thread repair .....

Adhesives .....

Materials overview .....

Motor vehicle plastics .....

Inner door assembly, Sheets 1 ... 3 ....... 108 ... 110

Worksheets			
1 Service		3 DIAGNOSIS	
Maintaining and inspecting vehicles and systems according to specifications		Identify and eliminate malfunctions	404
Motor vehicle system, Sheets 12  Motor vehicle classifications, Dimensions  Evolution of the motor vehicle	5 6 7 8 9 13 14 15 17 18 19 20 21 22 23 24 25 26 27 28 29 31 32 33 34 40 41 44 45 48 49 50 51 54 55 56 57 60 61 64 65 66 67 68 69 74 75 78 79 80	Electrical loads Electrical voltage, Sheets 13 Electrical current, Sheets 12 Electrical power Electrical resistance, Sheets 12 Ohm's Law Electrical circuits, Sheets 15 Ignition switch, Sheets 12 Battery safety terminal Electromagnetism, Sheets 12 Induction, Sheets 12 Iroubleshooting, Sheets 14 Light test, Sheets 12 Troubleshooting lighting equipment, Sheets 12 Fundamentals of electronics, Sheets 16 Electronics troubleshooting, Sheets 12 Fundamentals of controls, Sheets 12 Fundamentals of controls, Sheets 13 Cruise control equipment, Sheets 13 Cruise control equipment, Sheets 13 Cylinder control, Sheets 13 Loading platform, Sheets 13 Loading platform, Sheets 13	. 122 . 123 125 . 126 127 . 128 . 129 130 . 131 . 132 . 133 137 . 138 139 . 140 . 141 142 . 143 144 . 145 148 . 149 150 . 151 152 . 153 158 . 159 160 . 161 162 . 163 165 . 166 167 . 168 170 . 171 172 . 173 175
Workshop tests, Sheets 1 2	81 82	4 Conversions	
		AND RETROFITS	
2 Penauna		Performing customer-driven conversions	6
2 REPAIRS Checking, disassembling, exchanging and assembling simple components and systematical exchanging and assembling simple components.		Wheel and tyre conversions, Sheets 16 Parking assistance, Sheets 14 Fog lights, Sheets 14	. 187 190 . 191 194
Checking and measuring, Sheets 1 2  Drilling and threading, Sheets 1 10		Trailer equipment, Sheets 1 4	

119

120






Motor vehicle system

Sheet 1

The use of technical terms is required in on- and off-the-job communication.

1. Identify the parts and component groups.



2. Fill in the table with the correct part and its function.

Component- group	Part	Function
Wheel		
Springs, dampers		
Steering		
Lighting- equipment		
Brakes		

Motor vehicle system

Name:


Sheet 2

Class:

Date:


Sheet No.:

3. Identify the numbered drivetrain subsystems in the table and fill in their functions.



Number labels	Subsystem	Function
1		Converts stored chemical energy into mechanical propulsion.
2	Clutch	
3		
4		Distributes torque to the front and rear axles in all-wheel-drive vehicles.
5		
6		
7		
8		Collect sensor data, calculate control device parameters, control actuators.

4. In the picture, fill in the vehicle material flow for air, fuel and exhaust and the energy flow.



5. How much fuel energy reaches the wheel? How high are the losses? Fill in the table.


Exhaust, cooling, radiation losses in %			Drivi	ng power a	t the wheel in %	)	
Spark-ignition engine		Diesel engine		Spark-ignition engine		Diesel engine	



#### Motor vehicle classifications, Dimensions


Class:	Date:	Sheet No.:
Name:		

- 1. Motor vehicles are divided into the following classifications.
- 2. Fill in the dimensions in the table and add mm or degrees.



Vehicle length	 Rear seat height			1648 mm
Vehicle height	 	2915 mm	Approach angle	

3. Identify the vehicles below and indicate their special features.



4. Which drivetrains are built into today's vehicles?



#### **Evolution of the motor vehicle**

Name:		
Class:	Date:	Sheet No.:

1. Which important machines did these individuals invent?

Portrait	Invention	
Nikolaus August Otto 1832 – 1891		
Carl Benz 1844 – 1929		
Gottlieb Daimler 1834 – 1900		
Rudolf Diesel 1858 – 1913		
Robert Bosch 1861 – 1942		
Wilhelm Maybach 1846 – 1929		

2. Use the reference book to determine power, displacement and power density for the pictured vehicles.

Power in kW/HP		 88 / 120
Displacement in l	2.0	
Power density in kW/l	77.5	146.67



4-stroke spark-ignition engine

Sheet 1 Class: Date:

Name:

Sheet No.:

Different engine concepts are used for vehicles. Combustion engines can be categorised according to various characteristics.

1. Fill in the table.

		4-stroke							twin-rotor engine	
							direct			
Vehicle	Engine Com- bustion engine categorisation according to type of	process	cylinder motion	ignition	cooling	compressed medium	injection	carburetion	cylinder arrangement	power control

4-stroke spark-ignition engine Sheet 2

Name:		
Class:	Date:	Sheet No.:

- 2. The cylinder arrangements pictured below are common in 4-stroke piston engines.
  - a. Match the engine picture to its construction with an arrow.
  - b. Fill in the engine designation and give an example of an application (vehicle).

Figure	Matching	Construction	Description	Example- application
		150		
		90°		

3. Other cylinder arrangements are illustrated in the table below. These were or are seldom built.

Fill in the table.

Figure	Matching	Construction	Description	Example application
		9 9	Double piston engine with fork connecting rod	Triumph; Puch; Java Motorcycle engines
				Junkers marine, stationary and aircraft engines
				Aircraft engines
				Sports cars



4-stroke spark-ignition engine


Sheet 3

Name:


Class:	Date:	Sheet No.:

As a part of communication within the workshop, it is necessary to be able to identify engine component groups and parts in vehicle engine care and maintenance.

1. Identify the component groups in the exploded views.



- 2. In the simplified cross-section of a 4-stroke spark-ignition engine, identify the numbered parts and fill in the missing number for the parts given.
- 3. Mark the crankshaft drive and engine control parts in different colours.





4-stroke spark-ignition engine

Sheet 4

Name:		
Class:	Date:	Sheet No.:

Situation: You read the following in the magazine "Motor Sport": "...the new turbocharged 4-cylinder 4-stroke engine is a classic short-stroke engine with a 92 mm bore and 60.3 mm stroke. The 1596 cc engine has an 85 kW power output and produces 250 Nm of torque. The compression ratio is 12 to 1. The average fuel economy is 6.1 litres to 100 km..."

<ol> <li>Define the following engine-related terminology found in the text and include the respective note</li> </ol>
---


Stroke:	
Dead centre:	
Displacement:	
•	
Compression space:	
Crank angle:	
· ·	
Compression ratio:	
-	

Fill in the values corresponding to the terms below that are associated with a 4-stroke engine. An operating cycle consisting of...

strokes	 crank angle
camshaft rotation	 cam angle
crankshaft rotations	 opening and closing of the inlet and exhaust valves

- 3. a) Identify the parameters in the table and enter them in the illustration.
  - b) With the part dimensions from the illustration (scale 1:4), calculate  $V_{\rm h}$ .

Nota- tion	Description	Dimen- sion
d		
s		
<b>V</b> <sub>h</sub>		
<i>V</i> <sub>c</sub>		26 cm³
Ø-IV		
Ø-EV		
Ø-Cc		
TDC		_
BDC		-







4-stroke spark-ignition engine

Sheet 5

Name:

Date:	Sheet No.:
	Date:

- 4. Identify the individual strokes.
- 5. Mark the cylinders and the crank circles with TDC and BDC.
- 6. Mark the direction of cylinder movement with an arrow.
- 7. Sketch in the connecting rod and crankshaft according to the cylinder's position.
- 8. Sketch in the valves for each stroke.
- 9. For each stroke, enter into the table
  - whether the inlet and exhaust valves are open or closed
  - at what crank angle the inlet and exhaust valves open or close
     Use a reference table.
- the max. temperature in the cylinder
- the max. pressure in the cylinder.
- 10. Enter the open and close positions lo, lc, Eo, Ec in the crank circle of the corresponding stroke. Use values from an engine in the reference table.

Fill the cylinder above the piston with a different colour for each stroke.

1 <sup>st</sup> stroke	2 <sup>nd</sup> stroke	3 <sup>rd</sup> stroke	4 <sup>th</sup> stroke

Inlet valve	Inlet valve	Inlet valve	Inlet valve
Exhaust valve	Exhaust valve	Exhaust valve	Exhaust valve
Temperature in cylinder	Temperature in cylinder	Temperature in cylinder	Temperature in cylinder
Pressure in cylinder	Pressure in cylinder	Pressure in cylinder	Pressure in cylinder at Eo


Ignition interval, firing order	Ignition	interval,	firing	order
---------------------------------	----------	-----------	--------	-------

Sheet 1


Name:		
Class:	Date:	Sheet No.

Situation: In the course of servicing a VW Lupo, ignition cables have to be replaced.

- The new ignition cables are provided with the numbers 1 to 3.
   What do these numbers mean?
- The cylinder's numbering and the direction the cylinders are counted are DIN-specified.
  - a) Define cylinder 1 according to the standards.



- b) The engine rotates clockwise. What does this mean?
- 3. a) Fill in the cylinder numbering, rotational direction (clockwise) and the construction type of the engine concepts shown according to the DIN Standard.
  - b) Indicate the corresponding firing order.



- 4. What does "firing order" mean?
- 5. Calculate the number of power cycles per minute with an engine speed of 3000 1/min for a 3-cylinder engine and for a 6-cylinder engine.

G	iver	ı:															



Ignition interval, firing order


Sheet 2

Name:		
Class:	Date:	Sheet No.:

6. Describe the term ignition interval and calculate it for a 3-cylinder engine.

Ignition interval = 
$$\frac{720^{\circ}}{z}$$
 =


The crankshaft is cranked according to the ignition interval (figure).
 For clarity, the crankshaft is depicted in side and frontal (star diagram) views. The stroke order is shown.



- a) Calculate the ignition interval and indicate the firing order.
- b) Construct the position of the crank pins (star diagram). Transfer the cylinder numbering to the corresponding crank pin on the star diagram.

Note: Begin with the 1st cylinder. Construct the position of the next crank pin according to the firing order against the direction of rotation by the number of degrees of the ignition interval.

- c) Construct the crankshaft side view from the star diagram (with the help of lines).
- d) Label the individual stroke of each cylinder.





Ignition interval, firing order

Sheet 3

Name:		
Class:	Date:	Sheet No.:

Strokes Combustion S S

Firing order 1 – 2 – 4 – 5 – 3

Exhaust valve opens 40° before BDC Exhaust valve closes 10° after TDC

f) Draw the intake and exhaust values in the correct position (the valves

should be shown as clearly closed or open).

Timing

Intake valve opens 6° before TDC Intake valve closes 44° after BDC

e) Complete the table with each cylinder's work cycle; indicate the strokes

with corresponding colours.

d) Indicate each piston's direction of movement with arrows.

connecting rod positions.

b) Draw the crank arms for cylinders 2 to 5 onto the crank circle; number the

crank pins according to the firing order.

The following illustration is a schematic diagram of the crankshaft

mechanism for a five-cylinder four-stroke engine.

a) Determine and fill in the firing order.

c) Fill in the crankshaft for cylinders 2 to 5; draw the corresponding piston and

Ignition interval

Crank circle

Reprints, even in parts, require the publisher's permission. Copyright 2015 by Europa-Lehmittel



PV diagram

Sheet 1


Name:		
Class:	Date:	Sheet No.

Situation: A spark-ignition engine was optimised on a test stand. Several ignition points were set and the pressure profile recorded. Engine characteristics: Bore x Stroke = 89.9 mm $\times$  70 mm,  $\varepsilon$  = 10.

 Evaluate the ignition point in the table with "right", "too late" or "too early". Give the ignition point in crankshaft angle. Describe the effect on the combustion process with "knocking", "adverse", or "optimal".


	Curve A	Curve B	Curve C
Ignition point			
in °CA			
Effect			
bustion			

- 2. Indicate the maximum piston pressure on the curve at which the engine properly operates.
- Explain the process "knocking combustion".



4. What factors cause knocking?

5. What is shown in a PV diagram for a combustion engine?



- 6. Cylinder pressure relative to the piston stroke can be carried over for the power cycle of a four-stroke engine into a PV diagram.
  - a) Divide the axes according to the given scaling and label them. The cylinder pressure should be on the y-axis and piston stroke on the x-axis.
    - Scaling: Pressure scale 0.4 bar 1mm; Stroke scale 1 mm 0.5 mm piston stroke.
  - b) Fill in the missing table values for normal combustion and enter the respective points on the curve. The missing values can be found in Figure 1. Draw the PV diagram for a spark-ignited engine. Indicate the effective work with hatch marks.
  - c) Mark the valve opening points in the diagram: IVo mm before TDC, IVc 20 mm after BDC, EVo 10 mm before BDC, EVc 6 mm after TDC.
  - d) Mark the curves of the 4 strokes in different colours and give the respective stroke names.



PV diagram Sheet 2

Name:	

- e) Mark the ignition point in the diagram with an arrow.
- f) Draw the curves for compression and combustion in retarded (late) ignition.

Piston stroke in mm	0 (TDC)	5	10	20	30	40	50	60	65	70 (BDC)
Induction 0° 180° $p_{\rm e}$ in bar	0	- 0.3	- 0.3	- 0.3	- 0.3	- 0.3	- 0.3	- 0.3	- 0.3	- 0.3
Compression 180° 360° $p_{\rm e}$ in bar	28.0		9.2	5.0	2.4	1.2	0.6	0	- 0.1	- 0.3
Combustion 360° 450° $p_{\rm e}$ in bar			40.0		16.0		7.0	4.0	1.0	0.3
Exhaust 540° 720° p <sub>e</sub> in bar	0	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3	0.3

					Ħ		₩				₩			###
					Ħ		₩				₩		₩	##
					H									
														₩
					Ħ		₩				₩			###
					Ħ		₩				#		H	##
					₩		Ш				₩			
											▋			₩

7. Calculate the missing values for the engine in the table. In the diagram, draw the combustion type with the corresponding ignition point.

Note: the middle indexed pressure is the average of all pressures within the work cycle.

	Middle pressure in bar	Piston force in N	Indexed work in J/kJ
Normal ignition	18.7		
Late ignition	10.9		





Four-stroke diesel engine

Sheet 1

Name:

Class:	Date:	Sheet No.


Situation: You are to carry out work on the engine pictured below.

- 1. How can you tell that it is a diesel engine?
- 2. a) Match the numbers on the pictures to their respective part names.

	Rail		Air flowmeter		pressure pump		injector
--	------	--	------------------	--	---------------	--	----------

b) Components that send information to the control unit are called sensors. Components that receive commands from the control unit are called actuators. To which component group do the red and green marked components belong?

red = green =











3. a) Fill in the missing vehicle data with help from a reference table.

Vehicle	Smart cdi 0.6	VW Golf 1.9 TDI	Audi Q7 3.0TDI
Effective power / Nominal speed kW / 1/mi	n		
Max. torque / speed Nm / 1/m	n		
CO <sub>2</sub> emissions g/ki	n		
Fuel consumption 1/100 km	n		

b)	Diesel vehicles	are hugely	popular.	Today, 5	50% of	registered	new	vehicles	are	diesel.	Give	reasons	for	this
	development.													



Four-stroke diesel engine

Sheet 2

Name:		
Class:	Date:	Sheet No.:

- 4. a) In line 1 of the table, name the individual strokes for a turbocharged diesel engine.
  - b) Fill the cylinder space above the piston in a different colour for each stroke.
    - Air Compressed air Burned fuel-air mixture Exhaust
  - c) Enter the max. cylinder pressure and temperature for each stroke.
  - d) In line 5 of the table, fill in the essential processes for each stroke.

1 <sup>st</sup> stroke	2 <sup>nd</sup> stroke	3 <sup>rd</sup> stroke	4 <sup>th</sup> stroke		
IV open closed	IV closed Fuel	IV closed closed	IV EV open Exhaust		
Cylinder pressure	Cylinder pressure	Cylinder pressure	Cylinder pressure		
Cylinder temperature	Cylinder temperature	Cylinder temperature	Cylinder temperature		

- 5. The pressure profile during the 4 strokes of a work cycle in a running engine is recorded with a pressure sensor.
  - a) The curves were recorded for a spark-ignited engine and a diesel engine, both at full load. Match each process to its respective pressure profile.
  - b) Mark the 4 strokes: Induction Compression Exhaust
  - c) In the diagram, mark the ignition point for the spark-ignited engine and the injection process start for the diesel engine.
  - d) In the illustration, the pressure profile of a naturally aspirated diesel engine is shown. How would the PV diagram differ with a turbocharged engine?

